

Agency Information

The certificate is only used for browsing on the web and proves that SETsafe | SETfuse has been certified.

If you need a FULL-VERSION certificate, please contact us: sales@SETfuse.com

该证书只用于在网页浏览，证明SETsafe | SETfuse已获得认证，如需要完整版本证书，请联系我们: sales@SETfuse.com

JDYX2.E345932 - Fuses, Supplemental - Component

Fuses, Supplemental - Component

XIAMEN SET ELECTRONICS CO LTD
 8067 XIANG'AN XI RD XIAMEN TORCH
 HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE
 XIANG'AN INDUSTRY DIST
 XIAMEN, FUJIAN 361101 China

E345932

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
SCF632 followed by rated current 300mA, 315mA, 350mA, 400mA, 500mA, 630mA, 700mA, 800mA, 1A, 1.2A, 1.25A, 1.5A, 1.6A, 2A, 2.25A, 2.5A, 3A, 3.15A, 3.5A, 4A, 5A, 6A, 6.3A, 7A, 8A, 9A, 10A, 12A, 12.5A, 15A, 16A, 20A, 25A, 21A or 30A.	32 x 6.35 (1.26 x 0.25)	0.3- 12.5	125Vdc	50000
		0.3- 12.5	250Vdc	50000
		0.3- 12.5	300Vdc	50000
		0.3- 12.5	350Vdc	50000
		0.3- 12.5	400Vdc	50000
		0.3- 12.5	450Vdc	50000
		0.3- 12.5	500Vdc	50000
		0.3- 12.5	600Vdc	50000
		0.3- 12.5	125Vac	10000
		0.3- 12.5	250Vac	10000
		0.3- 12.5	300Vac	10000
		0.3- 12.5	350Vac	10000
		0.3- 12.5	400Vac	10000
		0.3- 12.5	450Vac	10000
		0.3- 12.5	500Vac	10000
		0.3- 12.5	600Vac	10000
		15-30	125Vdc	1000
		15-30	250Vdc	1000
		15-30	300Vdc	1000
		15-30	350Vdc	1000
		15-30	400Vdc	1000
		15-30	450Vdc	1000
		15-30	500Vdc	1000
		15-30	600Vdc	1000
		15-30	125Vac	1000
		15-30	250Vac	1000
		15-30	250Vac	1500
		15-30	300Vac	1000
		15-30	350Vac	1000
		15-30	400Vac	1000
		15-30	450Vac	1000
		15-30	500Vac	1000
		15-30	600Vac	1000
Supplemental fuses: pigtail leads, filled-tube, cartridge enclosed				
SCF632P followed by rated current 300mA, 315mA, 350mA, 400mA, 500mA, 630mA, 700mA, 800mA, 1A, 1.2A, 1.25A, 1.5A, 1.6A, 2A, 2.25A, 2.5A, 3A, 3.15A, 3.5A, 4A, 5A, 6A, 6.3A, 7A, 8A, 9A, 10A, 12A, 12.5A, 15A, 16A, 20A, 21A, 25A or 30A.	32 x 6.35 (1.26 x 0.25)	0.3- 12.5	125Vdc	50000
		0.3- 12.5	250Vdc	50000
		0.3- 12.5	300Vdc	50000
		0.3- 12.5	350Vdc	50000

		0.3- 12.5	400Vdc	50000
		0.3- 12.5	450Vdc	50000
		0.3- 12.5	500Vdc	50000
		0.3- 12.5	600Vdc	50000
		0.3- 12.5	125Vac	10000
		0.3- 12.5	250Vac	10000
		0.3- 12.5	300Vac	10000
		0.3- 12.5	350Vac	10000
		0.3- 12.5	400Vac	10000
		0.3- 12.5	450Vac	10000
		0.3- 12.5	500Vac	10000
		0.3- 12.5	600Vac	10000
		15-30	125Vdc	1000
		15-30	250Vdc	1000
		15-30	300Vdc	1000
		15-30	350Vdc	1000
		15-30	400Vdc	1000
		15-30	450Vdc	1000
		15-30	500Vdc	1000
		15-30	600Vdc	1000
		15-30	125Vac	1000
		15-30	250Vac	1000
		15-30	250Vac	1500
		15-30	300Vac	1000
		15-30	350Vac	1000
		15-30	400Vac	1000
		15-30	450Vac	1000
		15-30	500Vac	1000
		15-30	600Vac	1000